

MEDIUM BRIGHTNESS

Ref: 33.011 4200°K
 Ref: 33.012 3200°K
 Ref: 33.013 2850°K

Single-coloured "PREMIUM RETAIL" flexible strip
 IP20 with 126 leds/metre 3014SMD.
 Requires use with led profile to permit dissipation.

Heat dissipation tape included.


10mm PCB

Current stabiliser.

CRI>90

Daily recommended use: 18h
 Maximum connection in open circuit: 7.5m
 Maximum connection in closed circuit: 15m
 Estimated lifespan: 50000h *

* Depending on the dissipation of the profile, the daily working hours and the external environmental working temperature





HIERRO

FLEXIBLE STRIP



Power (W)	16W/m
Voltage (V)	24V
Led type	SMD3014
Lumens (4200°K)	1850 Lm/m
Lumens (3200°K)	1700 Lm/m
Lumens (2850°K)	1500 Lm/m
Light emission	120°
Waterproofing	IP20
N° leds/m	126
Measurements	5000x10x1.2mm
Cuttable	every 55.55mm
PCB	10mm
Working temperature	-40°C / +60°C
Apt for	indoor
Packaging	1 roll/5m
Guarantee	4 years

Aprobado por: 



BARCELONA
 C/ Carles Buigues, 13
 08420 Canovelles
 Info@luznegra.net
 Tel: +34 938 402 598

MADRID
 C/ Minas, 35-37
 28923 Alcorcón
 centro@luznegra.net
 Tel: +34 916 416 081

PARIS
 113 Avenue Joffre
 77450 Esbly
 france@luznegra.net
 Tel: +33 (0) 160 426 585

Canovelles, July 2017

The company Mercantil Luz Negra, S.L. with registered office in C/Carles Buigues 13, Polígono Industrial Can Castells, 08420 Canovelles (Barcelona, Spain)

CERTIFIES

that the following products described here have been carried out the relevant technical tests and tests and that these have satisfactory according to current regulations (data issued by the product manufacturer):

Product references and colour temperatures (°KELVIN):

33.011	(4.200°K)
33.012	(3.200°K)
33.013	(2.850°K)

Business name: **ecoled HIERRO**

Main product features: **Tira flexible LED SMD3014
126 Leds/metro -
24V (voltios)
16W/m (potencia-watios)
Constant Current LED Strip
IP20
PCB 10mm
Adhesivo en PCB "3M"**

Test Standard according to: **EN 55015: 2013 - EN 61547: 2009**

CONFORMITY TEST: **E8A 15 05 57489 007**
Test report N°: **657401502101**

Date of issue: 2015-05-12

The product described has been tested according to the standards listed above and under Directives. **Ce** marking can be used as a declaration made in accordance with the **TUV**. The certificate is issued under the responsibility of the manufacturer (data issued by the manufacturer).

And for the purposes of the data subject to be for the purposes of the data subject, it is issued in this Certificate.