

HIGH BRIGHTNESS

GRANOLLERS

FLEXIBLE STRIP

Ref: 33.182

2800°K

Single-coloured flexible strip "PRO"

IP20 with 120 leds/metre 3528SMD.

Requires use with led profile to permit dissipation.

Heat dissipation tape included.

5mm PCB



Daily recommended use: 18h

Maximum connection in open circuit: 2.5m

Maximum connection in closed circuit: 5m



Estimated lifespan: 50000h *

* Depending on the dissipation of the profile, the daily working hours and the external environmental working temperature



Power (W)	28.8W/m
Voltage (V)	24V
Led type	SMD2835
Lumens (2800°K)	2400 Lm/m
Light emission	120°
Waterproofing	IP20
CRI	Ra >81.1
N° leds/m	120
Measurements	5000x5x2mm
Cuttable	cada 50mm
PCB	5mm
Working temperature	-20°C / +40°C
Apt for	indoor
Packaging	1 roll/5m
Guarantee	3 years

Aprobado por: **CE** **RoHS**



BARCELONA
C/ Carles Buhigues, 13
08420 Canovelles
Info@luznegra.net
Tel: +34 938 402 598

MADRID
C/ Minas, 35-37
28923 Alcorcón
centro@luznegra.net
Tel: +34 916 416 081

PARIS
113 Avenue Joffre
77450 Esbly
france@luznegra.net
Tel: +33 (0) 160 426 585

BARCELONA
C/ Carles Buigues, 13
08420 Canovelles
info@luznegra.net
Tel. +34 938 402 598

MADRID
C/ Minas, 35-37
28923 Alcorcón
centro@luznegra.net
Tel. +34 916 416 081

PARIS
113 Avenue Joffre
77450 Esbly
france@luznegra.net
Tel. +33 (0) 160 426 585

Canovelles, July 2017

The company Mercantil Luz Negra, S.L. with registered office in
C / Carles Buigues 13, Polígono Industrial Can Castells, 08420 Canovelles
(Barcelona, Spain)

CERTIFIES

that the following products described here have been carried out the relevant technical tests and tests and that they have been satisfactory according to the regulations in force (data issued by the manufacturer of the product):

Product references and colour temperatures (°KELVIN):

33.182

(2800°K)

Product name:

ecoled GRANOLLERS

Product characteristics:

Led Type SMD2835

120 leds/metre -

24V (voltage)

28.8W/m (power - watt)

IP20

5mm PCB

Adhesive tape PCB "3M"

Test Standard:

EN 55015: 2013 - EN 61547: 2009

Conformity test:

E8A 15 05 57489 007

Report number:

657401502101

Date:

2015-05-12

The product described has been tested according to the standards listed above and under Directives. 2014/30 / EU. It is possible to use the CE marking.

The certificate is issued under the responsibility of the manufacturer (data issued by the manufacturer).

And to record for the purposes that come and at the request of the interested party, is issued in this Certificate.