

LOW BRIGHTNESS

ESMERALDA

FLEXIBLE STRIP

Ref: 30.015

RGB



RGB flexible strip "BASIC"

IP65 with 30 leds/metre 5050SMD.

10mm PCB


Daily recommended use: 18h
 Maximum connection in open circuit: 7.5m
 Maximum connection in closed circuit: 15m
 Estimated lifespan: 30000h *

* Depending on the dissipation of the profile, the daily working hours and the external environmental working temperature



Power (W)	7.2W/m
Voltage (V)	12V
Led type	SMD5050
Lumens ^(white)	221 Lm/m
Light emission	120°
Waterproofing	IP65
N° leds/m	30
Measurements	5000x10x4mm
Cutttable	every 100mm
PCB	10mm
Working temperature	-20°C / +40°C
Sequencer	nor included
Apt for	indoor/outdoor
Packaging	1 roll/5m
Guarantee	2 years

Aprobado por: 



BARCELONA
 C/ Carles Buhigues, 13
 08420 Canovelles
 Info@luznegra.net
 Tel: +34 938 402 598

MADRID
 C/ Minas, 35-37
 28923 Alcorcón
 centro@luznegra.net
 Tel: +34 916 416 081

PARIS
 113 Avenue Joffre
 77450 Esbly
 france@luznegra.net
 Tel: +33 (0) 160 426 585

BARCELONA
C/ Carles Buigues, 13
08420 Canovelles
info@luznegra.net
Tel. +34 938 402 598

MADRID
C/ Minas, 35-37
28923 Alcorcón
centro@luznegra.net
Tel. +34 916 416 081

PARIS
113 Avenue Joffre
77450 Esbly
france@luznegra.net
Tel. +33 (0) 160 426 585

Canovelles, July 2017

The company Mercantil Luz Negra, S.L. with registered office in
C / Carles Buigues 13, Polígono Industrial Can Castells, 08420 Canovelles
(Barcelona, Spain)

CERTIFIES

that the following products described here have been carried out the relevant technical tests and tests and that they have been satisfactory according to the regulations in force (data issued by the manufacturer of the product):

Product references and colour temperatures (°KELVIN):

30.015

(RGB)

Product name:

ecoled ESMERALDA

Product characteristics:

Led Type SMD5050

30 leds/metre -

12V (voltage)

7.2W/m (power - watt)

IP65

10mm PCB

Test Standard:

EN 55015: 2013 - EN 61547: 2009

Conformity test:

E8A 15 04 91961 001

Report number:

687401506801

Date:

2015-04-28

The product described has been tested according to the standards listed above and under Directives. 2014/30 / EU. It is possible to use the CE marking.

The certificate is issued under the responsibility of the manufacturer (data issued by the manufacturer).

And to record for the purposes that come and at the request of the interested party, is issued in this Certificate.