
# profiles for projects on request






Here at Luz Negra we have a large number of profile matrices available on request (in addition to being able to manufacture any size according to our clients' needs).

All the profiles in this section are aimed at projects. Although we don't actually hold in our current stock, they can be supplied under petition with an approximate lead time of 60-90 days.

Although the bars are normally manufactured in white aluminium, we can look at different colour options and also the possibility of offering other lengths.

There is a minimum order (MOQ) of approximately 100 metre per reference. If you would like any of these profiles or any another, not already available in our full catalogue, please consult our commercial department and we will surely find the best solution for you.

# CARACAS



Aluminium led profile + cover intended for illuminating ceiling perimeters in rooms, giving diffused and ambience lighting. It is finished off with a layer of plaster making it completely integrated in the wall.


	Aluminium	n profile	
	08.011	white	3m
	Cover		
	18.089	frosted	3m
	Plastic en	dcaps	
	19.255	with hole	
	19.256	without hole	
	Clip		
	20.055	metal (para fi	jación a la pared)
7 2	20.058	metal (fijaciór	n al techo)
I			


### BOGOTA

Aluminum led profile + cover for recessing in walls and designed to offer indirect and soft linear lighting. It is finished off with a layer of plaster making it completely integrated in the wall.

#### Aluminium profile

08.010	white	Зm
Cover		
18.088	frosted	3m
Plastic e	endcaps	
1 100000	naoapo	
	with hole	
19.253		





# ACAPULCO


Aluminum led profile + cover designed to offer indirect and soft linear lighting. It is finished off with a layer of plaster making it completely integrated in the wall. It can be used on walls or ceilings.

#### Aluminium profile

	-	
08.012	white	Зm
Cover		
18.090	frosted	Зm
Plastic en	idcaps	
19.257	with hole	
19.258	without hole	

Scale 1:1 CANCUN 69.5 Aluminium led profile + cover intended for illuminating ceiling perimeters in rooms, giving diffused and ambience lighting. It is finished off with a layer of plaster making it completely integrated in the wall. Aluminium profile 56.8 08.013 white 3m Cover 18.091 frosted 3m Plastic endcaps 19.259 with hole 19.260 without hole 85.5


Scale 1:1



Aluminum led profile + cover designed to offer indirect and soft linear lighting. It is finished off with a layer of plaster making it completely integrated in the wall. It can be used on walls or ceilings.

TIJUANA

Aluminiu	m profile	
08.014	white	3m
Cover		
18.092	frosted	3m
Plastic er	ndcaps	
19.261	with hole	
19.262	without hole	




Scale 1:1

24



Scale 1:1



# QUITO

Aluminium led profile + cover intended for illuminating ceiling perimeters in rooms, giving diffused and ambience lighting. It is screwed directly on to the wall and can be finished using ceiling panels such as Armstrong or Pladur drywall plates.

#### Aluminium profile

08.015	white	Зm
Cover		
18.093	frosted	Зm
Plastic	endcaps	
19.263	with hole	
19.264	without hole	



Led profile + different covers which, using high luminosity rigid strips, projects the light over long distances.

#### Aluminium profile

 08.021
 white
 Sm

 Methac:
 Ite cover
 Ite

 18.099
 30° lens
 3m

 18.104
 60° lens
 3m

 18.107
 wallwasher
 3m

 Polycar:
 Ite
 3m

 18.106
 opal
 3m

 Plastic:
 Ite
 Ite


 19.275
 with hole
 Ite

# BRASILIA


Aluminium led profile + cover for ceiling applications which remains flush with conventional plasterboard.

#### Aluminium profile

08.017	white	3m
Cover		
18.095	frosted	3m
Plastic e	ndcaps	
19.267	with hole	
19.268	without hole	



Scale 1:1



# SANTIAGO

Aluminium led profile + cover for interior architectural corner applications. It is finished off with a layer of plaster making it completely integrated in the wall.

Aluminium profile			
08.018	white	Зm	
Cover			
18.096	frosted	Зm	
Plastic e	endcaps		
19.269	with hole		
19.270	without hole		


CALI

Aluminium led profile + cover for interior architectural corner applications. It is finished off with a layer of plaster making it completely integrated in the wall.

#### Aluminium profile

08.019white3mCover18.096frosted3mPlastic endcaps19.271with hole19.272without hole

Scale 1:1





CUZCO


Aluminium led profile + cover for ceiling applications which remains flush with conventional plasterboard. As its light line is only 3.7mm wide, this makes it a very fine and elegant lighting option.

Aluminium profile			
08.020	white	3m	
Cover			
18.098	frosted	3m	
Plastic endcaps			
19.273	with hole		
19.274	without hole		

# LIMA

Aluminium led profile base + adjustable led profile with cover, intended for perimeter ceiling lighting in rooms, offering diffused and ambience lighting. It should rest on a ledge or similar. Its diagonal shaped finishing, means that illumination is totally indirect.

\$ <u>28</u>	shaped finishin	g, means that illumination is totally indirect.
		Aluminium profile (Base)
		08.016 white 3m
		Aluminium profile (Semicircular)
	51	08.031 white 3m
		Cover
		18.094 opal 3m
		Methacrylate cover
		18.099 30° lens 3m
13 12.5		18.104 60° lens 3m
		18.107 wallwasher 3m
<	·	Plastic endcaps
91		19.265 with hole
106		19.266 without hole
		Clip
		20.054 transparent plastic




# CARTAGO

Led profile made up of an internal aluminum core with an opal white cover which give us a cylinder with 360° light. Its metal end caps allow power supplies to be housed inside.

#### Aluminium profile

08.022white3mCover18.100frosted3mPlastic endcaps19.277without holeHanging kit21.005silver





MONTERREY


Polycarbonate profile available in 6 different colours and designed for perimeter lighting on facades, buildings or similar.

Polycarb	onate profile	Endcaps	
08.023	Yellow	19.278	Yellow
08.024	Orange	19.279	Orange
08.025	Blue	19.280	Blue
08.026	Red	19.281	Red
08.027	Green	19.282	Green
08.028	White	19.283	White
Clip		Silicone r	ubber

20.053 polycarbonate

22.068

Scale 1:1






# NASAU

Aluminum profile + cover for perimeter lighting on facades, buildings or similar.

### Aluminium profile

08.029white3mPolycarbonate cover18.105frosted3mPlastic endcaps19.291with hole19.292without hole4mClip

20.057 metal





# MONTEVIDEO

Aluminum profile + cover for perimeter lighting on facades, buildings or similar.

### Aluminium profile

08.030white3mPolycarbonate cover18.101frosted3mPlastic endcaps19.284without holeClip

20.056 metal

\_ 239 \_