

Our BASIC led profile series for surfaces is only 8mm width, manufactured in high purity aluminium and anodised in silver (on demand can be supplied with different lacquered/anodised finishing). Ideal for surface applications, on walls, furniture, bookcases and similar, where we require a minimalist profile with very reduced dimensions.

Suitable for led strips with a maximum width of 5mm and power not greater than 16W/m. We recommend the use of ecoled Cies due to its PCB (only 5mm wide).

We offer 2 years guarantee on profiles and covers.


DETROIT



Scale 1:1



Scale 1:2



Aluminium profile

01.013 anodised silver 2m



Plastic endcaps

19.011 white with hole
19.360 gray with hole
19.332 gray without hole



Clip

20.006 chrome steel



Polycarbonate cover

18.019 opal 2m



Adjustable bracket

20.004 chrome steel
(clip not included)



Aluminium alloy extrusion process in accordance with: ISO 9001:2008 - ISO 14001 / Tolerances defined by: UNE-EN 755-9 / UNE-EN 12020-2
Theoretical weight: 0.080kg / Alloy: 6063 / Perimeter: 18.2mm / Anodising minimum: 15 microns
Aluminium purity: 95-98% / Material treatment: T-5 / Covers: methacrylate (greater protection against UV rays)