

MONOCOLOUR-CCT-RGB-RGBW-RGB+CCT CONTROLLER

SEQUENCERS FOR LEDS

Ref: 40.017

Controller

Power supply with integrated controller.
Both products are 5 in 1.

It means that we can control 5 different types of strips:

- Monocolour
- CCT
- RGB
- RGBW
- RGB+CCT

Compatible with controllers:

- 41.025
- 41.030
- 41.031
- 41.089



power




voltage



IP20



Indicating lamp showing instruction:

Indicating lamp colour	Output mode
White light ○	Single color mode
Yellow light ●	Dual white mode
Red light ●	RGB mode
Green light ●	RGBW mode
Blue light ●	RGB+CCT mode



Power (W)	100W
Voltage (V)	24V
Input voltage	AC180~240V 50/60Hz
Channels (output)	5
Maximum load	4.5A
Signal detection distance	30m
Maximum signal reception distance:	30m clear, repeating signal between them
Control	2.4GHz
Measurements	290x51.5x29.5mm
Colour regulation	yes
Feeding type	via cable
Control method	remote control
Working temperature	-20°C / 60°C
Waterproofing	IP20
Fixing	can be installed using screws
Packaging	1 unit
Guarantee	2 years

Approved by: 




BARCELONA
C/ Carles Buhigues, 13
08420 Canovelles
Info@luznegra.net
Tel: +34 938 402 598

MADRID
C/ Adaptación, 27
28906 Getafe
centro@luznegra.net
Tel: +34 916 416 081

PARIS
113 Avenue Joffre
77450 Esbly
france@luznegra.net
Tel: +33 (0) 160 426 585

Auto-transmitting function:

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed.




Remark:

1.  Indicating auto-transmitting.
2. Controller will be auto-synchronizing in the same dynamic modes and within 30m controlling distance.

Auto-transmitting diagram:

One strip controller can transmit the signals from the remote control to another controller within 30m, as long as there is a strip controller within 30m, the remote control distance can be limitless.




Remote controller:


Compatible with these remote controls (purchased separately). For more details, please read the remote instructions.



41.025



41.089




41.030 / 41.031

MONOCOLOUR-CCT-RGB-RGBW-RGB+CCT CONTROLLER


SEQUENCERS FOR LEDS

Type of connections:


Monocolour:




RGB:



RGB+CCT:



CCT:



RGBW:

