


Hanging / Colgante



SCALE / ESCALA 1:15

DESCRIPTION

Crino is a high-performance linear luminaire for suspending (up to 178 lm/W) with a square section of 9cm x 9cm with curved edges.


Available in a wide range of colours, with a textured matt finish, it anticipates interior design trends to offer architects and designers a wide range of opportunities for expression.

The transparent microprism cover improves performance and significantly reduces glare.

The absence of flickering throughout its dimming range prevents visual fatigue and improves well-being and concentration.

The long-life led modules and driver can be replaced due to the removable tray with easy access. This means extending the lifespan of the luminaire and reducing environmental impact.

COLOUR



LED

Power:
 • 2700K / 4000K: 34.9W a 500mA
 CRI: >80
 Colour: 2700K / 4000K
 Lum. Flux:
 • 2700K: 5688lm
 • 4000K: 6217lm
 Lifespan: 60000hrs

DIMMING

Options for controlling 1 or 2 channels independently:
 • Dali/Push
 • On/Off

WARRANTY



DESCRIPCIÓN

Crino es una luminaria lineal de suspensión de alto rendimiento (hasta 178 lm/W) con una sección cuadrada de 9cm x 9cm con aristas redondas.


Disponible en una amplia gama de colores, con acabado mate texturizado, anticipa las tendencias de diseño de interiores para ofrecer a los arquitectos y diseñadores una amplia gama de oportunidades de expresión.

El difusor microprisma transparente mejora el rendimiento y reduce de forma significativa el deslumbramiento.

La ausencia de parpadeo en todo su rango de atenuación, evita la fatiga visual y mejora el bienestar y la concentración.

Los módulos led de larga duración y el driver, pueden reemplazarse a través de una bandeja desmontable de fácil acceso, lo que permite extender la vida útil de la luminaria y reducir el impacto medioambiental.

COLOR



LED

Potencia:
 • 2700K / 4000K: 34,9W a 500mA
 CRI: >80
 Color: 2700K / 4000K
 Flujo luminoso:
 • 2700K: 5688lm
 • 4000K: 6217lm
 Vida útil: 60.000hs


REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
 • Dali/Push
 • On/Off

GARANTÍA



Hanging / Colgante



SCALE / ESCALA 1:20

DESCRIPTION

Crino is a high-performance linear luminaire for suspending (up to 178 lm/W) with a square section of 9cm x 9cm with curved edges.


Available in a wide range of colours, with a textured matt finish, it anticipates interior design trends to offer architects and designers a wide range of opportunities for expression.

The transparent microprism cover improves performance and significantly reduces glare.

The absence of flickering throughout its dimming range prevents visual fatigue and improves well-being and concentration.

The long-life led modules and driver can be replaced due to the removable tray with easy access. This means extending the lifespan of the luminaire and reducing environmental impact.

COLOUR



LED

Power:
 • 2700K / 4000K: 46.5W a 500mA
 CRI: >80
 Colour: 2700K / 4000K
 Lum. Flux:
 • 2700K: 7579lm
 • 4000K: 8289lm
 Lifespan: 60000hrs

DIMMING

Options for controlling 1 or 2 channels independently:
 • Dali/Push
 • On/Off

WARRANTY



DESCRIPCIÓN

Crino es una luminaria lineal de suspensión de alto rendimiento (hasta 178 lm/W) con una sección cuadrada de 9cm x 9cm con aristas redondas.


Disponibile en una amplia gama de colores, con acabado mate texturizado, anticipa las tendencias de diseño de interiores para ofrecer a los arquitectos y diseñadores una amplia gama de oportunidades de expresión.

El difusor microprisma transparente mejora el rendimiento y reduce de forma significativa el deslumbramiento.

La ausencia de parpadeo en todo su rango de atenuación, evita la fatiga visual y mejora el bienestar y la concentración.

Los módulos led de larga duración y el driver, pueden reemplazarse a través de una bandeja desmontable de fácil acceso, lo que permite extender la vida útil de la luminaria y reducir el impacto medioambiental.

COLOR



LED

Potencia:
 • 2700K / 4000K: 46,5W a 500mA
 CRI: >80
 Color: 2700K / 4000K
 Flujo luminoso:
 • 2700K: 7579lm
 • 4000K: 8289lm
 Vida útil: 60.000hs


REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
 • Dali/Push
 • On/Off

GARANTÍA



Hanging / Colgante



SCALE / ESCALA 1:25

DESCRIPTION

Crino is a high-performance linear luminaire for suspending (up to 178 lm/W) with a square section of 9cm x 9cm with curved edges.


Available in a wide range of colours, with a textured matt finish, it anticipates interior design trends to offer architects and designers a wide range of opportunities for expression.

The transparent microprism cover improves performance and significantly reduces glare.

The absence of flickering throughout its dimming range prevents visual fatigue and improves well-being and concentration.

The long-life led modules and driver can be replaced due to the removable tray with easy access. This means extending the lifespan of the luminaire and reducing environmental impact.

COLOUR



LED

Power:
 • 2700K / 4000K: 58.2W a 500mA
 CRI: >80
 Colour: 2700K / 4000K
 Lum. Flux:
 • 2700K: 9486lm
 • 4000K: 10362lm
 Lifespan: 60000hrs

DIMMING

Options for controlling 1 or 2 channels independently:
 • Dali/Push
 • On/Off

WARRANTY



DESCRIPCIÓN

Crino es una luminaria lineal de suspensión de alto rendimiento (hasta 178 lm/W) con una sección cuadrada de 9cm x 9cm con aristas redondas.


Disponibile en una amplia gama de colores, con acabado mate texturizado, anticipa las tendencias de diseño de interiores para ofrecer a los arquitectos y diseñadores una amplia gama de oportunidades de expresión.

El difusor microprisma transparente mejora el rendimiento y reduce de forma significativa el deslumbramiento.

La ausencia de parpadeo en todo su rango de atenuación, evita la fatiga visual y mejora el bienestar y la concentración.

Los módulos led de larga duración y el driver, pueden reemplazarse a través de una bandeja desmontable de fácil acceso, lo que permite extender la vida útil de la luminaria y reducir el impacto medioambiental.

COLOR



LED

Potencia:
 • 2700K / 4000K: 58,2W a 500mA
 CRI: >80
 Color: 2700K / 4000K
 Flujo luminoso:
 • 2700K: 9486lm
 • 4000K: 10362lm
 Vida útil: 60.000hs

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
 • Dali/Push
 • On/Off

GARANTÍA

