

SCALE / ESCALA 1:15

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.


Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.


Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR



White Black

COLOR



Blanco Negro

LED

Power:

- 2700K / 4000K / 6500K: 31.5W a 24V
- HCL 1900K - 6500K: 30.8W a 24V

CRI: >80

Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K

Lum. Flux:

- 2700K: 4284lm
- 4000K: 4473lm
- 6500K: 4882lm
- HCL: 4743lm

Lifespan: 60000hrs

LED

Potencia:

- 2700K / 4000K / 6500K : 31,5W a 24V
- HCL 1900K - 6500K: 31,5W a 24V

CRI: >80

Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K

Flujo luminoso:

- 2700K: 4284lm
- 4000K: 4473lm
- 6500K: 4882lm
- HCL: 4743lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:

- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:

- On/Off

WARRANTY



Years

Made in Spain

GARANTÍA





Años

Fabricada en España



Hanging / Colgante



SCALE / ESCALA 1:20

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.


Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR



White Black

COLOR



Blanco Negro

LED

Power: Power:

- 2700K / 4000K / 6500K: 52.5W a 24V
- HCL 1900K - 6500K: 49.5W a 24V

CRI: >80

Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K

Lum. Flux:

- 2700K: 7140lm
- 4000K: 7455lm
- 6500K: 7875lm
- HCL: 7623lm

Lifespan: 60000hrs

LED

Potencia:

- 2700K / 4000K / 6500K : 52,5W a 24V
- HCL 1900K - 6500K: 49,5W a 24V

CRI: >80

Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K

Flujo luminoso:

- 2700K: 7140lm
- 4000K: 7455lm
- 6500K: 7875lm
- HCL: 7623lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:

- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:

- On/Off

WARRANTY



Years

Made in Spain





Años

Fabricada en España



Hanging / Colgante



SCALE / ESCALA 1:25

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.


Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR



White Black

COLOR



Blanco Negro

LED

Power:

- 2700K / 4000K / 6500K: 72.5W a 24V
- HCL 1900K - 6500K: 68.2W a 24V

CRI: >80

Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K

Lum. Flux:

- 2700K: 9860lm
- 4000K: 10295lm
- 6500K: 10867lm
- HCL: 10502lm

Lifespan: 60000hrs

LED

Potencia:

- 2700K / 4000K / 6500K : 72,5W a 24V
- HCL 1900K - 6500K: 68,2W a 24V

CRI: >80

Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K

Flujo luminoso:

- 2700K: 9860lm
- 4000K: 10295lm
- 6500K: 10867lm
- HCL: 10502lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:

- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:

- On/Off

WARRANTY



Years

Made in Spain



Años

Fabricada en España

