

Spectrum Test Report





Color Parameters:

Chromaticity Coordinate:x=0.3759 y=0.3451/u'=0.2354 v'=0.4861

CCT=3868K(Duv=-0.0143) Dominant WL:Ld =593.4nm Purity=16.3%

Ratio:R=22.8% G=72.8% B=4.4%¡¡Peak WL:Lp=453.6nm FWHM=19.4nm

Render Index:Ra=92.8 CRI=90.8 TM30:Rf=89 Rg=106

R1 =92	R2 =93	R3 =97	R4 =95	R5 =93	R6 =88	R7 =92	
R8 =92	R9 =86	R10=91	R11=90	R12=74	R13=91	R14=98	R15=94

Photo Parameters:


Flux = 816.5 lm Eff. : 63.19 lm/W Fe = 2.840 W Scotopic:1514.1 S/P:1.8545


Electrical parameters:


V = 23.998 V I = 0.5384 A P = 12.92 W PF = 1.000


Status: Integral T = 1663 ms Ip = 50008 (76%)

Model:Ecoled Neon Milano Cut&Connect Number: 10.350
Tester:Alejandro Hervas. Date:2026-10-13 09:16:35
Temperature:20Deg Humidity:50%
Manufacturer:Luz Negra Remarks:100 cm de neon










Model:Ecoled Neon Milano Cut&Connect Number: 10.350
Tester:Alejandro Hervas. Date:2026-10-13 09:16:35
Temperature:20Deg Humidity:50%
Manufacturer:Luz Negra Remarks:100 cm de neon

EVERFINE HAAS-1200 Test Report 3 Of 3



			Graphic shift(%)	
Hue Bin	Hue Angle	Rf	Chroma	Hue
1	0.0° - 22.5°	92	-2	1
2	22.5° - 45.0°	91	0	3
3	45.0° - 67.5°	86	1	6
4	67.5° - 90.0°	91	1	3
5	90.0° - 112.5°	88	2	4
6	112.5° - 135.0°	88	7	3
7	135.0° - 157.5°	90	3	1
8	157.5° - 180.0°	91	4	-1
9	180.0° - 202.5°	93	2	2
10	202.5° - 225.0°	88	1	7
11	225.0° - 247.5°	83	4	10
12	247.5° - 270.0°	84	6	6
13	270.0° - 292.5°	91	5	0
14	292.5° - 315.0°	87	7	-3
15	315.0° - 337.5°	85	6	-4
16	337.5° - 360.0°	89	0	-3

Model:Ecoled Neon Milano Cut&Connect Number: 10.350
Tester:Alejandro Hervas. Date:2026-10-13 09:16:35
Temperature:20Deg Humidity:50%
Manufacturer:Luz Negra Remarks:100 cm de neon