LUZ NEGRA

linear lighting solutions

Compatibility table profile + led + cover

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- Not compatible with power and width
- Compatible with power and width, but gives dotting effect
- Compatible with power and width, diffuses led 90%
- Compatible with power and width, diffuses led 100%

led profiles for surfaces

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

ecoled → / led profile ↓	5V	12V																				
	Fiji 11W	Soria 2W	Jade 4W	Rubi PRO 4W	Ibiza pro 4W	Cozumel 5W	Esmeralda 7W	Menorca 7W	Mikonos 9W	Hawai 9W	Getafe 10W	Pink 10 - 10W	Jerez 11W	Topacio 11W	Cob 8 11W	Avila pro 12W	Irun 13W	Bali 14W	Alicante 14W	Agata 14W	Formentera 15W	Barcelona 19W	Maldivas 20W
Detroit Page 62	■	■	■	■	■	■	■	■	■	■	■	▒	■	■	■	■	■	■	■	■	□	■	■
New York Mini Page 64	■	■	■	■	■	■	■	■	■	■	■	▒	■	■	■	■	■	■	■	■	□	■	■
Harmony XS Page 168	▒	■	■	■	■	■	■	■	■	■	■	▒	■	■	□	■	■	■	■	■	▒	■	■
Harmony Page 166	▒	▒	▒	■	■	▒	▒	■	■	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	▒	▒	▒
Tennessee Page 63	▒	▒	▒	▒	▒	▒	▒	■	■	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	▒	▒	▒
Milano slim Page 164	▒	▒	▒	▒	▒	▒	▒	■	■	▒	■	▒	▒	▒	□	▒	■	▒	■	▒	▒	⊡	▒
Milano Page 44	▒	▒	▒	▒	▒	▒	▒	■	■	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	▒	⊡	▒
California Page 46	▒	▒	▒	▒	▒	▒	▒	■	■	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	▒	⊡	▒
California XL Page 47	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	□	□	▒
Torino Page 60	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	□	▒	▒	□	▒	■	▒	▒	▒	□	□	▒
Roma Page 48	▒	▒	▒	▒	▒	▒	▒	■	■	▒	■	▒	▒	□	□	▒	■	▒	▒	▒	□	□	▒
Roma XL Page 52	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	□	▒	□	□	▒	■	▒	▒	▒	□	□	▒
New York Page 50	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	□	■	▒
Versalles Page 54	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	□	▒	□	□	▒	■	▒	▒	▒	□	□	▒
Berna Page 66	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	▒	▒	▒	□	▒	■	▒	▒	▒	▒	□	▒
Inferno Page 56	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	■	□	▒	□	□	▒	■	▒	▒	▒	□	□	▒
Chicago Page 58	■	■	■	■	■	■	■	■	■	■	□	▒	■	■	■	■	▒	■	■	■	■	■	■
Visby Page 66	▒	▒	▒	▒	▒	▒	▒	■	▒	▒	□	▒	▒	■	□	▒	■	▒	▒	▒	□	■	▒
Monterrey Page 67	■	▒	■	■	■	■	■	■	■	■	■	■	■	■	□	■	■	■	■	■	□	■	▒

LUZ NEGRA
linear lighting solutions

led profiles for surfaces

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

ecoled → / led profile ↓	24V																			
	Palma 4W	Elite 5-10-15-20W	Tenerife 9W	Vizcaya 10W	Cob Verde 10W	Cob Azul 10W	Cob Rojo 10W	Cob 5mm 10W	Cies pro 12W	Pinto 12W	Cob RGB 12W	Gandia 14W	Cob IP20 15W	Zafiro pro 15W	Cob IP67 15W	Hierro 16W	Lanzarote 18W	Barcelona 19W	Marbella PRO 19W	Nerja 19W
Detroit Page 62	■	■	■	■	■	■	■	□	□	■	■	■	■	■	■	■	■	■	■	■
New York Mini Page 64	■	■	■	■	■	■	■	□	□	■	■	■	■	■	■	■	■	■	■	■
Harmony XS Page 168	■	■	■	■	■	■	■	□	▒	▒	■	■	■	■	■	■	■	■	■	■
Harmony Page 166	▒	▒	▒	▒	■	■	■	□	▒	▒	□	■	▒	▒	■	▒	▒	▒	▒	▒
Tennessee Page 63	▒	▒	▒	▒	■	■	■	□	▒	▒	□	■	▒	▒	■	▒	▒	▒	▒	▒
Milano slim Page 164	▒	▒	▒	■	■	■	■	□	▒	▒	□	■	▒	▒	■	▒	▒	⊡	▒	▒
Milano Page 44	▒	▒	▒	▒	■	■	■	□	▒	▒	□	■	▒	▒	■	▒	⊡	⊡	▒	▒
California Page 46	▒	▒	▒	▒	□	□	□	□	▒	▒	□	■	▒	▒	■	▒	⊡	⊡	▒	▒
California XL Page 47	▒	▒	▒	▒	□	□	□	□	▒	▒	□	▒	▒	▒	▒	▒	□	□	▒	▒
Torino Page 60	▒	□	□	⊡	■	■	■	□	□	▒	□	▒	□	▒	□	□	□	□	▒	□
Roma Page 48	▒	□	▒	□	■	■	■	□	□	▒	□	■	□	▒	□	□	□	□	▒	□
Roma XL Page 52	▒	□	□	□	□	□	□	□	□	▒	□	▒	□	▒	□	□	□	□	▒	□
New York Page 50	▒	▒	▒	▒	□	□	□	□	□	▒	□	▒	□	▒	□	▒	▒	▒	▒	▒
Versalles Page 54	▒	□	□	□	□	□	□	□	□	▒	□	▒	□	▒	□	□	□	□	▒	□
Berna Page 66	▒	⊡	▒	▒	□	□	□	□	▒	▒	□	▒	▒	▒	▒	▒	□	□	▒	▒
Inferno Page 56	▒	□	□	□	□	□	□	□	□	▒	□	▒	□	▒	□	□	□	□	▒	□
Chicago Page 58	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Visby Page 66	▒	□	□	□	□	□	□	□	□	▒	□	▒	□	▒	■	▒	■	■	▒	□
Monterrey Page 67	■	■	□	■	□	□	□	□	□	▒	□	■	□	▒	■	■	■	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for surfaces

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

ecoled → / led profile ↓	24V														48V		230V	
	Canovelles PRO 19W	Alcorcon 19W	Cob CCT 20W	Sevilla 20W	Pink 20 - 20W	Antequera 20W	Motril 20W	Trevelez 20W	Gomera 21W	Granada 21W	Gerona PRO 23W	Granollers 28W	Seychelles 28W	Cordoba 40W	Castellon RGB 12W	Castellon pro 12W	Infinity 9W	Infinity 14W
Detroit Page 62	■	■	■	■	■	■	■	■	■	▒	■	■	■	■	■	■	■	■
New York Mini Page 64	■	■	■	■	■	■	■	■	■	⊡	■	■	■	■	■	■	■	■
Harmony XS Page 168	■	■	■	■	■	■	■	■	■	▒	■	■	■	■	■	■	■	■
Harmony Page 166	▒	⊡	□	▒	■	▒	▒	▒	▒	▒	▒	■	▒	■	■	▒	■	■
Tennessee Page 63	▒	⊡	□	▒	■	▒	▒	▒	▒	▒	▒	■	■	■	■	▒	■	■
Milano slim Page 164	▒	⊡	□	▒	■	▒	▒	▒	▒	▒	▒	■	■	■	■	▒	■	■
Milano Page 44	⊡	⊡	□	⊡	■	⊡	⊡	⊡	⊡	▒	⊡	■	▒	■	■	▒	■	■
California Page 46	⊡	⊡	□	⊡	■	⊡	⊡	⊡	⊡	▒	⊡	□	▒	■	■	▒	■	■
California XL Page 47	□	⊡	□	□	▒	⊡	⊡	⊡	□	▒	⊡	□	▒	■	▒	□	▒	▒
Torino Page 60	□	⊡	□	□	□	□	□	□	□	□	▒	□	▒	■	■	□	□	□
Roma Page 48	□	□	□	□	▒	□	□	□	□	□	▒	□	▒	■	■	□	■	■
Roma XL Page 52	□	□	□	□	□	□	□	□	□	□	▒	□	▒	■	▒	□	□	□
New York Page 50	▒	□	□	□	□	□	□	□	□	□	▒	⊡	▒	■	■	⊡	▒	▒
Versalles Page 54	□	□	□	□	□	□	□	□	□	□	▒	□	▒	■	▒	□	□	□
Berna Page 66	□	□	□	□	▒	□	□	□	□	▒	▒	□	▒	■	▒	⊡	▒	▒
Inferno Page 56	□	□	□	□	□	□	□	□	□	□	▒	□	▒	■	▒	□	□	□
Chicago Page 58	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Visby Page 66	■	■	■	■	□	□	□	□	■	■	■	■	■	■	■	□	□	□
Monterrey Page 67	■	■	■	■	□	■	■	■	■	■	■	■	■	■	■	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for recessing

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	ecoled ↓ / led profile →	Philadelphia Mini Page 78	Frankfurt Page 71	Boston Page 70	Berlin Page 73	Berlin XL Page 74	Philadelphia Page 72	Dallas Page 76
5V	Fiji 11W	■	▒	▒	▒	▒	▒	■
12V	Soria 2W	■	▒	▒	▒	▒	▒	■
	Jade 4W	■	▒	▒	▒	▒	▒	■
	Rubi PRO 4W	■	▒	▒	▒	▒	▒	■
	Ibiza pro 4W	■	▒	▒	▒	▒	▒	■
	Cozumel 5W	■	▒	▒	▒	▒	▒	■
	Menorca 7W	■	■	■	■	■	■	■
	Esmeralda 7W	■	▒	▒	▒	▒	▒	■
	Mikonos 9W	■	■	■	■	▒	▒	■
	Hawai 9W	■	▒	▒	▒	▒	▒	■
	Pink 10 - 10W	□	▒	▒	▒	□	▒	■
	Getafe 10W	■	■	■	■	■	■	▒
	Topacio 11W	■	▒	▒	□	□	▒	■
	Cob 8mm 11W	■	□	□	□	□	□	■
	Jerez 11W	■	▒	▒	▒	▒	▒	■
	Avila pro 12W	■	▒	▒	▒	▒	▒	■
	Irun 13W	⊡	■	■	■	■	■	▒
	Bali 14W	■	▒	▒	▒	▒	▒	■
	Alicante 14W	■	▒	▒	▒	▒	▒	■
	Agata 14W	■	▒	▒	▒	▒	▒	■
	Formentera 15W	□	▒	▒	□	□	□	■
	Barcelona 19W	■	⊡	▒	□	□	□	■
	Maldivas 20W	■	▒	▒	▒	▒	▒	■
24V	Palma 4W	■	▒	▒	▒	▒	▒	■
	Elite 5-10-15-20W	■	▒	▒	▒	□	□	■
	Tenerife 9W	■	▒	▒	□	□	▒	■
	Vizcaya 10W	■	▒	▒	□	□	▒	■
	Cob Verde 10W	■	■	■	□	□	□	■
	Cob Azul 10W	■	■	■	□	□	□	■
	Cob Rojo 10W	■	■	■	□	□	□	■
	Cob 5mm 10W	□	□	□	□	□	□	■
	Cies pro 12W	□	▒	▒	□	□	□	■
	Pinto 12W	■	▒	▒	▒	▒	▒	■
	Cob RGB 12W	■	□	□	□	□	□	■
	Gandia 14W	■	■	■	■	▒	▒	■
	Cob IP20 15W	■	□	□	□	□	□	■
	Zafiro pro 15W	■	▒	▒	▒	▒	▒	■
	Cob IP67 15W	■	■	■	□	□	□	■
	Hierro 16W	■	▒	▒	□	□	▒	■
	Lanzarote 18W	■	⊡	▒	□	□	□	■
	Barcelona 19W	■	⊡	▒	□	□	□	■
	Marbella PRO 19W	■	▒	▒	▒	▒	▒	■
	Canovelles 19W	■	⊡	▒	□	□	□	■
	Nerja 19W	■	▒	▒	□	□	▒	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for recessing

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	ecoled ↓ / led profile →	Philadelphia Mini Page 78	Frankfurt Page 71	Boston Page 70	Berlin Page 73	Berlin XL Page 74	Philadelphia Page 72	Dallas Page 76
24V	Alcorcon 19W	■	▒	▒	⊡	⊡	⊡	■
24V	Cob CCT 20W	■	□	□	□	□	□	■
24V	Sevilla 20W	■	⊡	▒	□	□	□	■
24V	Pink 20 - 20W	■	■	■	▒	□	▒	■
24V	Antequera 20W	■	⊡	⊡	□	□	□	■
24V	Motril 20W	■	⊡	⊡	□	□	□	■
24V	Trevelez 20W	■	⊡	⊡	□	□	□	■
24V	Gomera 21W	■	⊡	⊡	□	□	□	■
24V	Granada 21W	■	⊡	⊡	□	□	□	■
24V	Gerona PRO 28W	■	▒	▒	▒	▒	▒	■
24V	Granollers 28W	■	⊡	▒	□	□	□	■
24V	Seychelles 28W	■	▒	▒	▒	▒	▒	■
24V	Cordoba 40W	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	▒	▒	■
48V	Castellon pro 12W	■	▒	▒	□	□	⊡	■
230V	Infinity 9W	■	■	■	■	□	▒	■
230V	Infinity 14W	■	■	■	■	□	▒	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

angular led profiles

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	ecoled ↓ / led profile →	Texas Mini	Amsterdam	Split	Zagreb	Texas	Sophia	Sophia XL	Sophia XL asymmetric
		Page 88	Page 86	Page 91	Page 90	Page 82	Page 83	Page 84	Page 87
5V	Fiji 11W	■	■	■	■	■	■	■	■
12V	Soria 2W	■	■	■	■	■	■	■	■
	Jade 4W	■	■	■	■	■	■	■	■
	Rubi 4W	■	■	■	■	■	■	■	■
	Ibiza pro 4W	■	■	■	■	■	■	■	■
	Cozumel 7W	■	■	■	■	■	■	■	■
	Menorca 7W	■	■	■	■	■	■	■	■
	Esmeralda 7W	■	■	■	■	■	■	■	■
	Mikonos 9W	■	■	■	■	■	■	■	■
	Hawai 9W	■	■	■	■	■	■	■	■
	Pink 10 - 10W	■	■	■	■	■	□	□	□
	Getafe 10W	■	■	■	■	■	■	■	■
	Topacio 11W	■	■	■	■	■	□	□	□
	Cob 8mm 11W	■	□	□	□	□	□	□	□
	Jerez 11W	■	■	■	■	■	■	■	■
	Avila pro 12W	■	■	■	■	■	■	■	■
	Irun 13W	■	■	■	■	■	■	■	■
	Bali 14W	■	■	■	■	■	■	■	■
	Alicante 14W	■	■	■	■	■	■	■	■
	Agata 14W	■	■	■	■	■	■	■	■
	Formentera 15W	■	■	□	□	■	□	□	□
	Barcelona 19W	■	⊡	□	□	⊡	□	□	□
	Maldivas 20W	■	■	■	■	■	■	■	■
24V	Palma 4W	■	■	■	■	■	■	■	■
	Elite 5-10-15-20W	■	■	⊡	□	■	□	□	□
	Tenerife 9W	■	■	■	■	■	□	□	□
	Vizcaya 10W	■	■	■	□	■	□	□	□
	Cob Verde 10W	■	□	□	□	□	□	□	□
	Cob Azul 10W	■	□	□	□	□	□	□	□
	Cob Rojo 10W	■	□	□	□	□	□	□	□
	Cob 5mm 10W	□	□	□	□	□	□	□	□
	Cies pro 12W	■	■	□	□	■	□	□	□
	Pinto 12W	■	■	■	■	■	■	■	■
	Cob RGB 12W	■	□	□	□	□	□	□	□
	Gandia 14W	■	■	■	■	■	■	■	■
	Cob IP20 15W	■	■	□	□	□	□	□	□
	Zafiro pro 15W	■	■	■	■	■	■	■	■
	Cob IP67 15W	■	■	■	■	■	□	□	□
	Hierro 16W	■	■	■	□	■	□	□	□
	Lanzarote 18W	■	■	□	□	□	□	□	□
	Barcelona 19W	■	⊡	□	□	⊡	□	□	□
	Marbella PRO 19W	■	■	■	■	■	■	■	■
	Canovelles 19W	■	⊡	□	□	⊡	□	□	□
	Nerja 19W	■	■	■	⊡	■	⊡	□	□

LUZ NEGRA
linear lighting solutions

angular led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

led profile → / ecoled ↓		Texas Mini	Amsterdam	Split	Zagreb	Texas	Sophia	Sophia XL	Sophia XL asymmetric
		Page 88	Page 86	Page 91	Page 90	Page 82	Page 83	Page 84	Page 87
24V	Alcorcon 19W	■	■	■	■	■	■	■	■
24V	Cob CCT 20W	■	□	□	□	□	□	□	□
24V	Sevilla 20W	■	⊡	□	□	⊡	□	□	□
24V	Pink 20 - 20W	■	■	■	■	■	□	□	□
24V	Antequera 20W	■	⊡	□	□	□	□	□	□
24V	Motril 20W	■	⊡	□	□	□	□	□	□
24V	Trevelez 20W	■	⊡	□	□	□	□	□	□
24V	Gomera 21W	■	⊡	□	□	□	□	□	□
24V	Granada 21W	■	⊡	□	□	□	□	□	□
24V	Gerona pro 28W	■	■	■	■	■	■	□	□
24V	Granollers 28W	■	□	■	■	⊡	□	□	□
24V	Seychelles 28W	■	■	■	■	■	■	■	■
24V	Cordoba 40W	■	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	■	■	■	■
48V	Castellon PRO 12W	■	■	⊡	□	■	□	□	□
230V	Infinity 9W	■	■	■	□	■	□	□	□
230V	Infinity 14W	■	■	■	□	■	□	□	□

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for walls

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	ecoled ↓ / led profile →	Burdeos Page 140	Galicia Page 144	Kentuky Page 136	Tallin NEW	Cleveland Page 138	Monaco Page 143	Venezia Page 142	Atlanta Slim Page 141	Washington Page 137
5V	Fiji 11W	■	■	■	□	■	■	■	■	■
12V	Soria 2W	■	■	■	□	■	■	■	■	■
	Jade 4W	■	■	■	□	■	■	■	■	■
	Rubi 4W	■	■	■	□	■	■	■	■	□
	Ibiza pro 4W	■	■	■	□	■	■	■	■	□
	Cozumel 7W	■	■	■	□	■	■	■	■	■
	Menorca 7W	■	■	■	■	■	■	■	■	■
	Esmeralda 7W	■	■	■	□	■	■	■	■	■
	Mikonos 9W	■	■	■	□	■	■	■	■	■
	Hawai 9W	■	■	■	□	■	■	■	■	■
	Pink 10 - 10W	■	■	■	□	■	■	■	■	□
	Getafe 10W	■	■	■	■	■	■	■	■	■
	Topacio 11W	■	■	■	□	■	■	■	■	□
	Cob 8mm 11W	□	□	□	□	□	□	□	□	□
	Jerez 11W	■	■	■	□	■	■	■	■	■
	Avila pro 12W	■	■	■	□	■	■	■	■	■
	Irun 13W	■	■	■	■	■	■	■	■	■
	Bali 14W	■	■	■	□	■	■	■	■	■
	Alicante 14W	■	■	■	□	■	■	■	■	■
	Agata 14W	■	■	■	□	■	■	■	■	■
	Formentera 15W	■	■	■	□	■	■	■	□	□
	Barcelona 19W	■	□	□	□	□	□	□	□	□
	Maldivas 20W	■	■	■	□	■	■	■	■	□
24V	Palma 4W	■	■	■	□	■	■	■	■	■
	Elite 5-10-15-20W	■	■	■	□	■	■	■	■	■
	Tenerife 9W	■	■	■	□	■	■	■	■	■
	Vizcaya 10W	■	■	■	□	□	■	■	■	□
	Cob Verde 10W	■	□	□	□	□	□	□	□	□
	Cob Azul 10W	■	□	□	□	□	□	□	□	□
	Cob Rojo 10W	■	□	□	□	□	□	□	□	□
	Cob 5mm 10W	□	□	□	□	□	□	□	□	□
	Cies pro 12W	■	■	■	□	■	■	■	□	□
	Pinto 12W	■	■	■	□	■	■	■	■	■
	Cob RGB 12W	■	□	□	□	□	□	□	□	□
	Gandia 14W	■	■	■	□	■	■	■	■	■
	Cob IP20 15W	□	■	■	□	□	■	□	□	■
	Zafiro pro 15W	■	■	■	□	■	■	■	■	■
	Cob IP67 15W	■	■	■	□	□	■	□	■	□
	Hierro 16W	■	■	■	□	□	■	■	■	□
	Lanzarote 18W	■	□	□	□	□	□	□	□	□
	Barcelona 19W	■	□	□	□	□	□	□	□	□
	Marbella PRO 19W	■	■	■	□	■	■	■	■	⊡
	Canovelles 19W	■	■	⊡	□	■	■	■	■	■
	Nerja 19W	■	■	■	□	■	■	■	■	□

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for walls

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Burdeos Page 140	Galicia Page 144	Kentuky Page 136	Tallin NEW	Cleveland Page 138	Monaco Page 143	Venezia Page 142	Atlanta Slim Page 141	Washington Page 137
24V	Alcorcon 19W	■	⊡	⊡	□	▒	⊡	⊡	⊡	⊡
24V	Cob CCT 20W	■	□	□	□	□	□	□	□	□
24V	Sevilla 20W	■	□	□	□	□	□	□	□	□
24V	Pink 20 - 20W	■	▒	▒	□	▒	▒	▒	▒	□
24V	Antequera 20W	■	□	□	□	□	□	□	□	□
24V	Motril 20W	■	□	□	□	□	□	□	□	□
24V	Trevelez 20W	■	□	□	□	□	□	□	□	□
24V	Gomera 21W	■	□	□	□	□	□	□	□	□
24V	Granada 21W	■	▒	▒	□	□	▒	□	▒	□
24V	Gerona pro 28W	■	▒	▒	□	▒	▒	▒	▒	□
24V	Granollers 28W	■	▒	▒	□	□	▒	□	▒	□
24V	Seychelles 28W	■	▒	▒	■	▒	▒	▒	▒	□
24V	Cordoba 40W	■	■	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	▒	▒	▒	■	▒
48V	Castellon PRO 12W	■	▒	▒	▒	□	□	□	▒	□
230V	Infinity 9W	■	■	■	□	□	▒	■	■	□
230V	Infinity 14W	■	■	■	□	□	▒	■	■	□

LUZ NEGRA
linear lighting solutions

architectural led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Alaska Page 131	Baltimore Page 133	Portland Page 132	Brasilia NEW	Montana Page 130	Budapest Page 128	Belfast Page 127	Praga Page 126	Kansas Page 129
5V	Fiji 11W	■	■	■	■	■	■	■	■	■
	Soria 2W	■	■	■	■	■	■	■	■	■
12V	Jade 4W	■	■	■	■	■	■	■	■	■
	Rubi 4W	■	■	■	■	■	■	■	■	■
	Ibiza pro 4W	■	■	■	■	■	■	■	■	■
	Cozumel 7W	■	■	■	■	■	■	■	■	■
	Menorca 7W	■	■	■	■	■	■	■	■	■
	Esmeralda 7W	■	■	■	■	■	■	■	■	■
	Mikonos 9W	■	■	■	■	■	■	■	■	■
	Hawai 9W	■	■	■	■	■	■	■	■	■
	Pink 10 - 10W	■	■	■	■	■	□	□	□	□
	Getafe 10W	■	■	■	■	■	■	■	■	■
	Topacio 11W	■	■	■	■	■	■	■	■	■
	Cob 8mm 11W	□	□	□	□	□	□	□	□	□
	Jerez 11W	■	■	■	■	■	■	■	■	■
	Avila pro 12W	■	■	■	■	■	■	■	■	■
	Irun 13W	■	■	■	■	■	■	■	■	■
	Bali 14W	■	■	■	■	■	■	■	■	■
	Alicante 14W	■	■	■	■	■	■	■	■	■
	Agata 14W	■	■	■	■	■	■	■	■	■
	Formentera 15W	□	□	□	□	■	□	□	■	□
	Barcelona 19W	□	□	□	□	□	□	□	□	□
	Maldivas 20W	■	■	■	■	■	■	■	■	■
24V	Palma 4W	■	■	■	■	■	■	■	■	■
	Elite 5-10-15-20W	■	□	□	□	□	□	□	□	□
	Tenerife 9W	■	■	■	■	■	□	□	□	□
	Vizcaya 10W	⊡	⊡	⊡	⊡	□	■	■	■	□
	Cob Verde 10W	□	□	□	□	□	□	□	□	□
	Cob Azul 10W	□	□	□	□	□	□	□	□	□
	Cob Rojo 10W	□	□	□	□	□	□	□	□	□
	Cob 5mm 10W	□	□	□	□	□	□	□	■	□
	Cies pro 12W	□	□	□	⊡	■	□	□	□	□
	Pinto 12W	■	■	■	■	■	■	■	■	■
	Cob RGB 12W	□	□	□	□	□	□	□	□	□
	Gandia 14W	■	■	■	■	■	■	■	■	■
	Cob IP20 15W	□	□	□	□	■	□	□	□	□
	Zafiro pro 15W	■	■	■	■	■	■	■	■	■
	Cob IP67 15W	□	□	□	□	■	□	□	□	□
	Hierro 16W	□	□	□	□	□	□	□	□	□
	Lanzarote 18W	□	□	□	□	□	□	□	□	□
	Barcelona 19W	□	□	□	□	□	□	□	□	□
	Marbella PRO 19W	■	■	■	■	■	■	■	■	■
	Canovelles 19W	□	□	□	□	□	□	□	□	□
	Nerja 19W	⊡	⊡	⊡	⊡	⊡	□	□	□	□

LUZ NEGRA
linear lighting solutions

architectural led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ▣ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

ecoled ↓ / led profile →		Alaska Page 131	Baltimore Page 133	Portland Page 132	Brasilia NEW	Montana Page 130	Budapest Page 128	Belfast Page 127	Praga Page 126	Kansas Page 129
24V	Alcorcon 19W	■	■	■	■	■	■	■	■	□
24V	Cob CCT 20W	□	□	□	□	□	□	□	□	□
24V	Sevilla 20W	□	□	□	□	□	□	□	□	□
24V	Pink 20 - 20W	□	□	□	□	■	□	□	□	□
24V	Antequera 20W	□	□	□	□	□	□	□	□	□
24V	Motril 20W	□	□	□	□	□	□	□	□	□
24V	Trevelez 20W	□	□	□	□	□	□	□	□	□
24V	Gomera 21W	□	□	□	□	□	□	□	□	□
24V	Granada 21W	□	□	□	□	□	□	□	□	□
24V	Gerona pro 28W	■	■	■	■	■	□	□	□	□
24V	Granollers 28W	□	□	□	□	□	□	□	□	□
24V	Seychelles 28W	□	□	□	□	□	□	□	□	▣
24V	Cordoba 40W	■	■	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	■	■	■	■	■
48V	Castellon PRO 12W	□	□	□	□	□	□	□	□	□
230V	Infinity 9W	■	■	■	■	□	□	□	□	□
230V	Infinity 14W	■	■	■	■	□	□	□	□	□

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for stairs and skirting boards

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	ecoled ↓ / led profile →	Niza Eco Page 114	Niza Duo Page 115	Tokyo Page 116	Edimburgo Page 110	Londres Page 111
			* Up light	* Up light		
5V	Fiji 11W	■	□	▒	▒	▒
12V	Soria 2W	■	■	▒	▒	▒
	Jade 4W	▒	□	▒	▒	▒
	Rubi 4W	■	■	▒	▒	▒
	Ibiza pro 4W	■	■	▒	▒	▒
	Cozumel 7W	■	▒	▒	▒	▒
	Menorca 7W	■	▒	■	■	■
	Esmeralda 7W	■	▒	▒	▒	▒
	Mikonos 9W	■	■	▒	▒	▒
	Hawai 9W	■	▒	▒	▒	▒
	Pink 10 - 10W	▒	□	▒	▒	▒
	Getafe 10W	■	■	■	■	■
	Topacio 11W	■	□	▒	▒	▒
	Cob 8mm 11W	□	□	□	□	□
	Jerez 11W	■	□	▒	▒	▒
	Avila pro 12W	■	□	▒	▒	▒
	Irun 13W	■	▒	■	■	■
	Bali 14W	■	▒	▒	▒	▒
	Alicante 14W	■	□	▒	▒	▒
	Agata 14W	■	▒	▒	▒	▒
	Formentera 15W	□	□	▒	▒	▒
	Barcelona 19W	■	□	□	□	□
	Maldivas 20W	■	▒	▒	▒	▒
24V	Palma 4W	■	■	▒	▒	▒
	Elite 5-10-15-20W	■	□	⊡	▒	▒
	Tenerife 9W	■	□	▒	▒	▒
	Vizcaya 10W	■	■	▒	▒	▒
	Cob Verde 10W	■	■	□	▒	▒
	Cob Azul 10W	■	■	□	▒	▒
	Cob Rojo 10W	■	■	□	▒	▒
	Cob 5mm 10W	□	□	□	▒	▒
	Cies pro 12W	□	□	▒	▒	▒
	Pinto 12W	■	■	▒	▒	▒
	Cob RGB 12W	■	■	▒	▒	▒
	Gandia 14W	■	■	■	▒	▒
	Cob IP20 15W	■	□	▒	□	□
	Zafiro pro 15W	■	□	▒	▒	▒
	Cob IP67 15W	■	■	□	▒	▒
	Hierro 16W	■	□	▒	▒	▒
	Lanzarote 18W	■	□	□	□	□
	Barcelona 19W	■	□	□	□	□
	Marbella PRO 19W	■	□	▒	▒	▒
	Canovelles 19W	■	■	□	□	□
	Nerja 19W	■	□	▒	▒	▒

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for stairs and skirting boards

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Niza Eco Page 114	* Up light Niza Duo Page 115	* Up light Tokyo Page 116	Edimburgo Page 110	Londres Page 111
24V	Alcorcon 19W	■	□	□	⊡	⊡
	Cob CCT 20W	■	□	□	□	□
	Sevilla 20W	■	□	□	□	□
	Pink 20 - 20W	■	□	▒	▒	▒
	Antequera 20W	■	□	□	□	□
	Motril 20W	■	□	□	□	□
	Trevelez 20W	■	□	□	□	□
	Gomera 21W	■	□	□	□	□
	Granada 21W	▒	□	□	⊡	⊡
	Gerona pro 28W	■	□	▒	▒	▒
	Granollers 28W	▒	□	□	⊡	⊡
	Seychelles 28W	■	■	▒	▒	▒
	Cordoba 40W	■	□	□	■	■
48V	Castellon RGB 12W	■	■	▒	■	■
	Castellon PRO 12W	■	□	⊡	⊡	⊡
230V	Infinity 9W	■	■	▒	■	■
	Infinity 14W	■	■	▒	■	■

LUZ NEGRA
linear lighting solutions

led profiles for floors

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ▒ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Florencia Page 112	Dublin Page 107	Dublin XL Page 108	Azores Page 106	Dubai Page 119	Estambul Page 118	Qatar Page 120
5V	Fiji 11W	▒	▒	□	□	▒	▒	▒
12V	Soria 2W	▒	▒	▒	▒	▒	▒	▒
	Jade 4W	▒	▒	□	□	▒	▒	▒
	Rubi 4W	▒	▒	□	□	▒	▒	▒
	Ibiza pro 4W	▒	▒	□	□	▒	▒	▒
	Cozumel 7W	▒	▒	▒	▒	▒	▒	▒
	Menorca 7W	■	■	□	■	■	■	■
	Esmeralda 7W	▒	▒	▒	▒	▒	▒	▒
	Mikonos 9W	▒	■	▒	▒	■	■	■
	Hawai 9W	▒	▒	□	□	▒	▒	▒
	Pink 10 - 10W	▒	▒	□	□	▒	▒	▒
	Getafe 10W	■	■	□	■	■	■	■
	Topacio 11W	□	▒	□	□	▒	▒	▒
	Cob 8mm 11W	□	□	□	□	□	□	□
	Jerez 11W	▒	▒	□	▒	▒	▒	▒
	Avila pro 12W	▒	▒	□	▒	▒	▒	▒
	Irun 13W	■	■	□	□	■	■	■
	Bali 14W	▒	▒	⊡	⊡	▒	▒	▒
	Alicante 14W	▒	▒	□	▒	▒	▒	▒
	Agata 14W	▒	▒	▒	▒	▒	▒	▒
	Formentera 15W	□	▒	□	□	▒	▒	▒
	Barcelona 19W	□	□	□	□	□	□	□
	Maldivas 20W	▒	▒	□	□	▒	▒	▒
24V	Palma 4W	▒	▒	□	□	▒	▒	▒
	Elite 5-10-15-20W	□	▒	□	□	▒	▒	▒
	Tenerife 9W	▒	▒	□	□	▒	▒	▒
	Vizcaya 10W	□	▒	□	□	▒	▒	▒
	Cob Verde 10W	⊡	■	□	□	□	□	□
	Cob Azul 10W	⊡	■	□	□	□	□	□
	Cob Rojo 10W	⊡	■	□	□	□	□	□
	Cob 5mm 10W	▒	□	□	□	□	□	□
	Cies pro 12W	□	▒	□	□	▒	▒	▒
	Pinto 12W	▒	▒	▒	▒	▒	▒	▒
	Cob RGB 12W	□	□	□	□	□	□	□
	Gandia 14W	▒	▒	■	▒	■	■	■
	Cob IP20 15W	□	▒	□	□	□	□	□
	Zafiro pro 15W	▒	▒	□	□	▒	▒	▒
	Cob IP67 15W	⊡	⊡	□	□	□	□	□
	Hierro 16W	□	□	□	□	□	□	□
	Lanzarote 18W	□	□	□	□	□	□	□
	Barcelona 19W	□	□	□	□	□	□	□
	Marbella PRO 19W	▒	▒	□	□	▒	▒	▒
	Canovelles 19W	□	□	□	□	□	□	□
	Nerja 19W	⊡	▒	□	□	▒	▒	▒

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for floors

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

led profile → / ecoled ↓		Florencia Page 112	Dublin Page 107	Dublin XL Page 108	Azores Page 106	Dubai Page 119	Estambul Page 118	Qatar Page 120
24V	Alcorcon 19W	■	■	⊡	⊡	■	■	■
	Cob CCT 20W	□	□	□	□	□	□	□
	Sevilla 20W	■	□	□	□	□	□	□
	Pink 20 - 20W	□	■	□	□	■	■	■
	Antequera 20W	□	□	□	□	□	□	□
	Motril 20W	□	□	□	□	□	□	□
	Trevelez 20W	□	□	□	□	□	□	□
	Gomera 21W	□	□	□	□	□	□	□
	Granada 21W	□	□	□	□	□	□	□
	Gerona pro 28W	■	■	□	□	■	■	■
	Granollers 28W	□	□	□	□	□	□	□
	Seychelles 28W	■	■	⊡	⊡	■	■	■
	Cordoba 40W	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	■	■	■
	Castellon PRO 12W	⊡	⊡	□	□	⊡	⊡	⊡
230V	Infinity 9W	⊡	■	■	■	■	■	■
	Infinity 14W	⊡	■	■	■	■	■	■

LUZ NEGRA
linear lighting solutions

led profiles for shelves etc

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ▣ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

led profile → / ecoled ↓		Pletina Page 159	Hannover Page 152	A03 Page 158	Plexiled Slim Page 156	Plexiled Page 157
5V	Fiji 11W	■	■	■	■	■
12V	Soria 2W	■	■	■	■	■
	Jade 4W	■	■	■	■	■
	Rubi 4W	■	■	■	■	■
	Ibiza pro 4W	■	■	■	■	■
	Cozumel 7W	■	■	■	■	■
	Menorca 7W	■	■	■	■	■
	Esmeralda 7W	■	■	■	■	■
	Mikonos 9W	■	■	■	■	■
	Hawai 9W	■	■	■	■	■
	Pink 10 - 10W	■	■	■	■	■
	Getafe 10W	■	■	■	■	■
	Topacio 11W	■	■	■	■	■
	Cob 8mm 11W	■	□	■	■	■
	Jerez 11W	■	■	■	■	■
	Avila pro 12W	■	■	■	■	■
	Irun 13W	■	■	■	■	■
	Bali 14W	■	■	■	■	■
	Alicante 14W	■	■	■	■	■
	Agata 14W	■	■	■	■	■
	Formentera 15W	■	□	■	■	■
	Barcelona 19W	■	□	■	■	■
	Maldivas 20W	■	■	■	■	■
24V	Palma 4W	■	■	■	■	■
	Elite 5-10-15-20W	■	▣	■	■	■
	Tenerife 9W	■	■	■	■	■
	Vizcaya 10W	■	■	■	■	■
	Cob Verde 10W	■	■	■	■	■
	Cob Azul 10W	■	■	■	■	■
	Cob Rojo 10W	■	■	■	■	■
	Cob 5mm 10W	■	■	■	■	■
	Cies pro 12W	■	□	■	■	■
	Pinto 12W	■	■	■	■	■
	Cob RGB 12W	■	□	■	■	■
	Gandia 14W	■	■	■	■	■
	Cob IP20 15W	■	□	■	■	■
	Zafiro pro 15W	■	■	■	■	■
	Cob IP67 15W	■	■	■	■	■
	Hierro 16W	■	□	■	■	■
	Lanzarote 18W	■	□	■	■	■
	Barcelona 19W	■	□	■	■	■
	Marbella PRO 19W	■	■	■	■	■
	Canovelles 19W	■	□	■	■	■
	Nerja 19W	■	■	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ▣ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

led profiles for shelves etc

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

ecoled ↓ / led profile →		Pletina Page 159	Hannover Page 152	A03 Page 158	Plexiled Slim Page 156	Plexiled Page 157
24V	Alcorcon 19W	■	▣	■	■	■
	Cob CCT 20W	■	□	■	■	■
	Sevilla 20W	■	▣	■	■	■
	Pink 20 - 20W	■	▣	■	■	■
	Antequera 20W	■	□	■	■	■
	Motril 20W	■	□	■	■	■
	Trevelez 20W	■	□	■	■	■
	Gomera 21W	■	□	■	■	■
	Granada 21W	■	□	■	■	■
	Gerona pro 28W	■	□	■	■	■
	Granollers 28W	■	■	■	■	■
	Seychelles 28W	■	■	■	■	■
	Cordoba 40W	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	■
	Castellon PRO 12W	■	■	■	■	■
230V	Infinity 9W	■	▣	■	■	■
	Infinity 14W	■	▣	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

circular hanging led profiles

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

ecoled ↓ / led profile →	Paris Page 94	Miami Page 98	Paris XL Page 100	Oslo Mini NEW	Oslo Doble NEW	Oslo Page 103	Oslo Black&White Page 102	Comenza Page 146
Fiji 11W	■	■	■	■	■	■	■	■
Soria 2W	■	■	■	■	■	■	■	■
Jade 4W	■	■	■	■	■	■	■	■
Rubi 4W	■	■	■	■	■	■	■	■
Ibiza pro 4W	■	■	■	■	■	■	■	■
Cozumel 7W	■	■	■	■	■	■	■	■
Menorca 7W	■	■	■	■	■	■	■	■
Esmeralda 7W	■	■	■	■	■	■	■	■
Mikonos 9W	■	■	■	■	■	■	■	■
Hawai 9W	■	■	□	■	■	⊡	■	■
Pink 10 - 10W	■	■	□	■	■	□	□	□
Getafe 10W	■	■	■	■	■	■	■	■
Topacio 11W	■	■	□	■	■	□	□	□
Cob 8mm 11W	□	□	□	□	□	□	□	□
Jerez 11W	■	■	□	■	■	■	■	■
Avila pro 12W	■	■	□	■	■	■	■	■
Irun 13W	■	■	■	■	■	■	■	■
Bali 14W	■	■	□	■	■	■	■	■
Alicante 14W	■	■	□	■	■	■	■	■
Agata 14W	■	■	■	■	■	■	■	■
Formentera 15W	■	■	□	⊡	⊡	□	■	□
Barcelona 19W	⊡	⊡	□	⊡	⊡	□	□	□
Maldivas 20W	■	■	□	■	■	⊡	■	■
Palma 4W	■	■	□	■	■	■	■	■
Elite 5-10-15-20W	■	■	□	■	■	□	□	□
Tenerife 9W	■	■	□	■	■	□	□	□
Vizcaya 10W	■	■	□	■	■	□	□	□
Cob Verde 10W	■	■	□	■	⊡	□	□	□
Cob Azul 10W	■	■	□	■	⊡	□	□	□
Cob Rojo 10W	■	■	□	■	⊡	□	□	□
Cob 5mm 10W	□	□	□	■	□	□	□	□
Cies pro 12W	■	■	□	⊡	⊡	□	■	□
Pinto 12W	■	■	⊡	■	■	■	■	■
Cob RGB 12W	□	□	□	□	□	□	□	□
Gandia 14W	■	■	□	■	□	■	□	■
Cob IP20 15W	□	□	□	□	□	□	□	□
Zafiro pro 15W	■	■	□	■	■	■	■	■
Cob IP67 15W	■	■	□	■	■	⊡	⊡	□
Hierro 16W	■	■	□	⊡	⊡	□	□	□
Lanzarote 18W	□	⊡	□	■	■	□	□	□
Barcelona 19W	⊡	⊡	□	⊡	⊡	□	□	□
Marbella PRO 19W	■	■	□	■	■	⊡	■	■
Canovelles 19W	⊡	⊡	□	⊡	⊡	□	□	□
Nerja 19W	■	■	□	⊡	⊡	□	□	□

LUZ NEGRA
linear lighting solutions

circular hanging led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Paris Page 94	Miami Page 98	Paris XL Page 100	Oslo Mini NEW	Oslo Doble NEW	Oslo Page 103	Oslo Black&White Page 102	Comenza Page 146
24V	Alcorcon 19W	■	■	□	■	■	⊡	⊡	□
24V	Cob CCT 20W	□	□	□	□	□	□	□	□
24V	Sevilla 20W	⊡	⊡	□	⊡	⊡	□	□	□
24V	Pink 20 - 20W	■	■	□	⊡	⊡	□	□	□
24V	Antequera 20W	□	□	□	□	□	□	□	□
24V	Motril 20W	□	□	□	□	□	□	□	□
24V	Trevelez 20W	□	□	□	□	□	□	□	□
24V	Gomera 21W	□	□	□	□	□	□	□	□
24V	Granada 21W	⊡	⊡	□	⊡	⊡	□	⊡	□
24V	Gerona pro 28W	■	■	□	■	■	■	■	■
24V	Granollers 28W	⊡	⊡	□	⊡	⊡	□	⊡	□
24V	Seychelles 28W	■	■	□	■	■	⊡	■	■
24V	Cordoba 40W	■	■	□	■	■	■	■	■
48V	Castellon RGB 12W	■	■	⊡	■	■	■	■	■
48V	Castellon PRO 12W	■	■	□	⊡	■	□	□	□
230V	Infinity 9W	■	■	□	■	■	□	□	□
230V	Infinity 14W	■	■	□	■	■	□	□	□

LUZ NEGRA
linear lighting solutions

flexible led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ▣ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Esbly Page 170	Fontana Page 186	Cannes Page 170	Marsella Page 170	Toulouse NEW	Lille Page 170	Arles Page 170	Montry Page 170	Lyon Page 172	Aviñon Page 170
5V	Fiji 11W	■	■	▒	▒	▒	▒	▒	▒	■	▒
12V	Soria 2W	▒	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Jade 4W	▒	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Rubi 4W	■	■	▒	▒	▒	▒	▒	▒	▒	▒
	Ibiza pro 4W	■	■	▒	▒	▒	▒	▒	▒	▒	▒
	Cozumel 7W	▒	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Menorca 7W	■	■	■	■	■	■	■	■	■	■
	Esmeralda 7W	■	■	▒	▒	▒	▒	▒	▒	▒	■
	Mikonos 9W	■	■	■	■	■	■	▒	■	■	■
	Hawai 9W	■	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Pink 10 - 10W	■	■	▒	▒	▒	▒	▒	▒	■	■
	Getafe 10W	▒	■	■	■	■	■	■	■	■	■
	Topacio 11W	▒	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Cob 8mm 11W	□	□	□	□	□	□	□	□	□	□
	Jerez 11W	■	■	■	■	■	■	■	■	■	■
	Avila pro 12W	■	■	■	■	■	■	■	■	■	■
	Irun 13W	■	■	■	■	■	■	■	■	■	■
	Bali 14W	■	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Alicante 14W	■	■	▒	▒	▒	▒	▒	▒	▒	▒
	Agata 14W	■	■	▒	▒	▒	▒	▒	▒	▒	■
	Formentera 15W	■	■	□	□	□	□	□	▒	■	■
	Barcelona 19W	■	■	□	□	□	□	□	■	■	■
	Maldivas 20W	■	■	■	■	▒	▒	▒	■	■	■
24V	Palma 4W	■	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Elite 5-10-15-20W	■	■	□	□	□	□	□	▒	▒	■
	Tenerife 9W	■	■	▒	□	□	▒	▒	▒	▒	▒
	Vizcaya 10W	■	■	▒	□	□	▒	▒	▒	▒	■
	Cob Verde 10W	■	■	■	■	■	□	□	■	■	■
	Cob Azul 10W	■	■	■	■	■	□	□	■	■	■
	Cob Rojo 10W	■	■	■	■	■	□	□	■	■	■
	Cob 5mm 10W	■	■	□	□	□	□	□	▒	■	■
	Cies pro 12W	■	■	□	□	□	□	□	▒	■	■
	Pinto 12W	▒	▒	▒	▒	▒	▒	▒	▒	▒	▒
	Cob RGB 12W	■	□	□	□	□	□	□	□	□	□
	Gandia 14W	■	■	■	■	▒	▒	▒	■	■	■
	Cob IP20 15W	■	■	□	□	□	□	□	□	□	□
	Zafiro pro 15W	■	▒	▒	▒	▒	▒	▒	▒	▒	■
	Cob IP67 15W	■	■	■	□	■	□	□	■	■	■
	Hierro 16W	■	■	▒	▒	□	▒	▒	■	■	■
	Lanzarote 18W	■	■	□	□	□	□	□	■	■	■
	Barcelona 19W	■	■	□	□	□	□	□	■	■	■
	Marbella PRO 19W	■	■	▒	▒	▒	▒	▒	■	■	■
	Canovelles 19W	■	■	□	□	□	□	□	■	■	■
	Nerja 19W	■	■	□	□	□	□	□	■	■	■

LUZ NEGRA
linear lighting solutions

flexible led profiles

Compatibility table for profiles, leds and covers

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Esbly Page 170	Fontana Page 186	Cannes Page 170	Marsella Page 170	Toulouse NEW	Lille Page 170	Arles Page 170	Montry Page 170	Lyon Page 172	Aviñon Page 170
24V	Alcorcon 19W	■	■	□	□	□	□	□	■	■	■
24V	Cob CCT 20W	■	■	□	□	□	□	□	■	■	■
24V	Sevilla 20W	■	■	□	□	□	□	□	■	■	■
24V	Pink 20 - 20W	■	■	□	□	□	□	□	■	■	■
24V	Antequera 20W	■	■	□	□	□	□	□	■	■	■
24V	Motril 20W	■	■	□	□	□	□	□	■	■	■
24V	Trevelez 20W	■	■	□	□	□	□	□	■	■	■
24V	Gomera 21W	■	■	□	□	□	□	□	■	■	■
24V	Granada 21W	■	■	□	□	□	□	□	■	■	■
24V	Gerona pro 28W	■	■	▒	▒	▒	▒	▒	■	■	■
24V	Granollers 28W	■	■	□	□	□	□	□	■	■	■
24V	Seychelles 28W	■	■	■	■	■	■	▒	■	■	■
24V	Cordoba 40W	■	■	■	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	■	▒	▒	■	■	■
48V	Castellon PRO 12W	■	▒	□	□	▒	□	□	□	▒	□
230V	Infinity 9W	■	■	■	■	■	■	▒	■	■	■
230V	Infinity 14W	■	■	■	■	■	■	□	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

silicone led profiles

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

	led profile → / ecoled ↓	Neon Micro Page 176	Neon Mini Page 177	Neon Cuadrado Page 178	Neon Redondo Page 180	Neon Easy NEW	Neon Doble Page 182	Neon Redondo XL Page 181	Neon XL Page 183	Neon las Vegas Page 184	Neon las Vegas XL Page 185
5V	Fiji 11W	■	▒	■	■	■	■	■	□	▒	■
12V	Soria 2W	■	■	■	■	■	▒	▒	▒	▒	▒
	Jade 4W	■	▒	■	■	■	▒	▒	▒	▒	■
	Rubi 4W	■	■	■	■	▒	■	■	■	■	■
	Ibiza pro 4W	■	■	■	■	▒	■	■	■	■	■
	Cozumel 7W	■	■	■	■	■	▒	▒	▒	▒	▒
	Menorca 7W	■	■	■	■	■	■	■	■	■	■
	Esmeralda 7W	■	■	■	■	▒	■	■	■	■	■
	Mikonos 9W	■	■	■	■	▒	■	■	■	■	■
	Hawai 9W	■	■	■	■	■	▒	▒	▒	▒	▒
	Pink 10 - 10W	▒	▒	■	▒	■	■	■	■	■	■
	Getafe 10W	■	▒	■	■	■	■	■	■	■	■
	Topacio 11W	■	■	■	■	■	▒	□	□	□	□
	Cob 8mm 11W	■	□	■	■	■	□	□	□	□	□
	Jerez 11W	■	■	■	■	■	■	■	■	■	■
	Avila pro 12W	■	■	■	■	■	■	■	■	■	■
	Irun 13W	■	▒	■	■	■	■	■	▒	▒	■
	Bali 14W	■	■	■	■	■	▒	▒	▒	▒	▒
	Alicante 14W	■	■	▒	■	■	■	■	▒	■	■
	Agata 14W	■	■	■	■	▒	■	■	■	■	■
	Formentera 15W	■	▒	■	▒	■	■	■	■	■	■
	Barcelona 19W	■	■	■	■	■	■	■	■	■	■
	Maldivas 20W	■	■	■	■	■	■	■	■	■	■
24V	Palma 4W	■	■	■	■	■	▒	▒	▒	▒	▒
	Elite 5-10-15-20W	■	■	■	■	■	⊡	□	□	□	□
	Tenerife 9W	■	■	■	■	■	□	□	□	□	□
	Vizcaya 10W	■	■	■	■	⊡	■	■	■	■	■
	Cob Verde 10W	■	■	■	■	□	■	■	■	■	■
	Cob Azul 10W	■	■	■	■	□	■	■	■	■	■
	Cob Rojo 10W	■	■	■	■	□	■	■	■	■	■
	Cob 5mm 10W	□	□	□	□	■	■	■	■	■	■
	Cies pro 12W	■	■	■	■	■	■	■	■	■	■
	Pinto 12W	■	■	■	■	■	▒	▒	▒	▒	▒
	Cob RGB 12W	■	■	■	■	■	□	□	□	□	□
	Gandia 14W	■	■	■	■	□	■	■	■	■	■
	Cob IP20 15W	■	■	■	■	■	■	■	■	■	■
	Zafiro pro 15W	■	■	■	■	■	■	■	■	■	■
	Cob IP67 15W	■	■	■	■	■	■	■	■	■	■
	Hierro 16W	■	■	■	■	■	■	■	■	■	■
	Lanzarote 18W	■	■	■	■	■	■	■	■	■	■
	Barcelona 19W	■	■	■	■	■	■	■	■	■	■
	Marbella PRO 19W	■	■	■	■	■	■	■	■	■	■
	Canovelles 19W	■	■	■	■	■	■	■	■	■	■
	Nerja 19W	■	■	■	■	■	■	■	■	■	■

Note: from the ecoled Elite series, the following are compatible: Elite 5 and Elite 10

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

silicone led profiles

Compatibility table for profiles, leds and covers

IP20 IP54 -IP65 IP67

ecoled ↓ / led profile →		Neon Micro Page 176	Neon Mini Page 177	Neon Cuadrado Page 178	Neon Redondo Page 180	Neon Easy NEW	Neon Doble Page 182	Neon Redondo XL Page 181	Neon XL Page 183	Neon las Vegas Page 184	Neon las Vegas XL Page 185
24V	Alcorcon 19W	■	■	■	■	■	■	■	■	■	■
24V	Cob CCT 20W	■	■	■	■	■	■	■	■	■	■
24V	Sevilla 20W	■	■	■	■	■	■	■	■	■	■
24V	Pink 20 - 20W	■	■	■	■	■	■	■	■	■	■
24V	Antequera 20W	■	■	■	■	■	■	■	■	■	■
24V	Motril 20W	■	■	■	■	■	■	■	■	■	■
24V	Trevelez 20W	■	■	■	■	■	■	■	■	■	■
24V	Gomera 21W	■	■	■	■	■	■	■	■	■	■
24V	Granada 21W	■	■	■	■	■	■	■	■	■	■
24V	Gerona pro 28W	■	■	■	■	■	■	■	■	■	■
24V	Granollers 28W	■	■	■	■	■	■	■	■	■	■
24V	Seychelles 28W	■	■	■	■	■	■	■	■	■	■
24V	Cordoba 40W	■	■	■	■	■	■	■	■	■	■
48V	Castellon RGB 12W	■	■	■	■	□	■	■	■	■	■
48V	Castellon PRO 12W	■	■	■	■	■	□	□	□	□	□
230V	Infinity 9W	■	■	■	■	□	■	■	■	■	■
230V	Infinity 14W	■	■	■	■	□	■	■	■	■	■

Note: from the ecoled Elite series, the following are compatible: Elite 5 and Elite 10

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

big profiles for ceiling recessing

Compatibility table for profiles, leds and covers

IP20 IP67 rigid led strips IP20

ecoled → / led profile ↓	Vossloh 140mm premium	Vossloh 280mm premium	Vossloh 560mm premium	Vossloh tunable white	Tridonic 4 modules	Tridonic 7 modules	Vossloh 40mm wide	Vossloh 55mm wide	Infinity 14W	Elite 20 - 20W	Sevilla 20W	Cordoba 40W	Ghost Milano doble 34W
Sidney NEW	■	■	■	■	■	■	■	■	▒	▒	▒	■	▒
 Moscu Mini Page 214	□	□	□	□	▒	▒	■	■	□	□	□	■	□
Madeira Page 124	□	□	□	□	▒	▒	■	■	□	□	□	■	□
Moscu Slim Page 220	□	□	□	□	▒	▒	■	■	□	□	□	■	□
 Moscu Magmum Slim Page 216	□	□	□	□	▒	▒	■	■	□	□	□	□	□
 Moscu Page 221	□	□	□	□	▒	▒	□	■	□	□	□	■	□
 Moscu Magnum Page 218	□	□	□	□	▒	▒	■	■	□	□	□	□	□
 Krakovia	□	□	□	□	▒	▒	■	■	□	□	□	□	□
 Krakovia with optic Page 222	■	■	■	■	■	■	▒	■	■	■	■	■	■

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

big profiles for ceiling recessing

Compatibility table for profiles, leds and covers

IP20 IP67 rigid led strips IP20

ecoled → / led profile ↓	Vossloh 140mm premium	Vossloh 280mm premium	Vossloh 560mm premium	Vossloh tunable white	Tridonic 4 modules	Tridonic 7 modules	Vossloh 40mm wide	Vossloh 55mm wide	Infinity 14W	Elite 20 - 20W	Sevilla 20W	Cordoba 40W	Ghost Milano doble 34W
 Krakovia with reflector and optic	■	■	■	■	⊡	⊡	■	■	■	■	■	■	■
 Krakovia with recessed tray Page 223	□	□	□	□	■	■	■	■	□	□	□	□	□
 Krakovia with tray and "global" 3-phase rail Page 225	■	■	■	■	■	■	■	■	■	■	■	■	■
 Krakovia with tray and trellis Page 225	□	□	□	□	■	■	■	■	□	□	□	■	■
 Krakovia asymmetric Page 226	□	□	□	□	■	■	■	■	□	□	□	□	□
 Krakovia slim	□	□	□	□	■	■	■	■	□	□	□	□	□
 Andorra Page 227	□	□	□	□	■	■	□	■	□	□	□	■	□

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

big profiles for ceiling surfaces and hanging

Compatibility table for profiles, leds and covers

IP20 IP67 rigid led strips IP20

ecoled → / led profile ↓	Vossloh 140mm premium	Vossloh 280mm premium	Vossloh 560mm premium	Vossloh tunable white	Tridonic 4 modules	Tridonic 7 modules	Vossloh 40mm wide	Vossloh 55mm wide	Infinity 14W	Elite 20 - 20W	Sevilla 20W	Cordoba 40W	Ghost Milano doble 34W
Munich Mini Page 192	□	□	□	□	■	■	■	■	□	□	□	■	□
Munich Slim Page 198	□	□	□	□	■	■	■	■	□	□	□	■	□
 Munich Magmum Slim Page 194	□	□	□	□	■	■	■	■	□	□	□	□	□
 Munich Page 200	□	□	□	□	■	■	□	■	□	□	□	■	□
 Munich Magnum Page 196	□	□	□	□	■	■	■	■	□	□	□	□	□
 Gales	□	□	□	□	■	■	■	■	□	□	□	□	□
 Gales with reflector and optic	■	■	■	■	⊡	⊡	■	■	■	■	■	■	■
 Gales with optic Page 203	■	■	■	■	■	■	■	■	■	■	■	■	■
 Gales with recessed tray Page 206	□	□	□	□	■	■	■	■	□	□	□	□	□
 Gales with tray and "global" 3-phase rail Page 204	■	■	■	■	■	■	■	■	■	■	■	■	■

NOTE: The strips indicated are only for DOWN lighting and are not apt for UP.

LUZ NEGRA
linear lighting solutions

COMPATIBILITY

- ■ Not compatible with power and width
- ■ Compatible with power and width, but gives dotting effect
- ⊡ Compatible with power and width, diffuses led 90%
- □ Compatible with power and width, diffuses led 100%

big profiles for ceiling surfaces and hanging

Compatibility table for profiles, leds and covers

IP20 IP67 rigid led strips IP20

ecoled → / led profile ↓	Vossloh 140mm premium	Vossloh 280mm premium	Vossloh 560mm premium	Vossloh tunable white	Tridonic 4 modules	Tridonic 7 modules	Vossloh 40mm wide	Vossloh 55mm wide	Infinity 14W	Elite 20 - 20W	Sevilla 20W	Cordoba 40W	Ghost Milano doble 34W
 Gales with tray and trellis Page 205	□	□	□	□	■	■	■	■	□	□	□	■	■
 Gales asymmetric Page 207	□	□	□	□	■	■	■	■	□	□	□	□	□
 Liverpool	□	□	□	□	■	■	■	■	□	□	□	□	□
 Gales Slim	□	□	□	□	■	■	■	■	□	□	□	□	□
 Sicilia Page 208	□	□	□	□	■	■	□	■	□	□	□	■	□
Houston Page 210	□	□	□	□	□	□	■	■	□	□	□	■	□
 Bruselas Page 211	□	□	□	□	■	■	□	■	□	□	□	■	□
Convex NEW	□	□	□	□	■	■	■	■	□	□	□	□	□
 Kazan NEW	□	□	□	□	■	■	■	■	□	□	□	□	□

NOTE: The strips indicated are only for DOWN lighting and are not apt for UP.