Hanging / Colgante



SCALE / ESCALA 1:15

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

COLOR

Blanco Negro

LED

Power:
- 2700K / 4000K / 6500K: 32W a 24V
- HCL 1900K - 6500K: 32W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 2142lm
- 4000K: 2237lm
- 6500K: 2441lm
- HCL: 2372lm

Lifespan: 60000hrs

LED

Potencia:
- 2700K / 4000K / 6500K : 32W a 24V
- HCL 1900K - 6500K: 32W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 2142lm
- 4000K: 2237lm
- 6500K: 2441lm
- HCL: 2372lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

WARRANTY

3 Years
Made in Spain

GARANTÍA

3 Años
Fabricada en España

CE

Hanging / Colgante







SCALE / ESCALA 1:20

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

COLOR

Blanco Negro

LED

Power: Power:
- 2700K / 4000K / 6500K: 53W a 24V
- HCL 1900K - 6500K: 53W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 3570lm
- 4000K: 3728lm
- 6500K: 3938lm
- HCL: 3812lm

Lifespan: 60000hrs

LED

Potencia:
- 2700K / 4000K / 6500K: 53W a 24V
- HCL 1900K - 6500K: 53W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 3570lm
- 4000K: 3728lm
- 6500K: 3938lm
- HCL: 3812lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

WARRANTY

3 Years
Made in Spain

GARANTÍA

3 Años
Fabricada en España

CE

Bansi 110cm CEILING - TECHO

Hanging / Colgante



SCALE / ESCALA 1:25

DESCRIPTION

Bansi is a circular suspended luminaire that emits light through its internal face. The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt thermo-lacquered finish, Bansi is suspended from 4 fine steel cables of the same colour and allows horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Bansi es una luminaria circular de suspensión que emite luz a través de su cara interna. El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado termolacado mate, Bansi se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

COLOR

Blanco Negro

LED

Power:
- 2700K / 4000K / 6500K: 73W a 24V
- HCL 1900K - 6500K: 73W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 4930lm
- 4000K: 5148lm
- 6500K: 5434lm
- HCL: 5251lm

Lifespan: 60000hrs

LED

Potencia:
- 2700K / 4000K / 6500K : 73W a 24V
- HCL 1900K - 6500K: 73W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 4930lm
- 4000K: 5148lm
- 6500K: 5434lm
- HCL: 5251lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

WARRANTY

3 Years
Made in Spain

GARANTÍA

3 Años
Fabricada en España

CE