Hanging / Colgante



SCALE / ESCALA 1:15

DESCRIPTION

Hari is a circular suspended luminaire that emits light through its external face.

The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt textured finish, Hari is suspended from 4 fine steel cables of the same colour, permitting horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Hari es una luminaria circular de suspensión que emite luz a través de su cara externa.

El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado texturizado mate. Hari se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

LED

Power:
- 2700K / 4000K / 6500K: 39W a 24V
- HCL 1900K - 6500K: 39W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 2638lm
- 4000K: 2755lm
- 6500K: 2914lm
- HCL: 2880lm

Lifespan: 60000hrs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

WARRANTY

3 Years
Made in Spain

COLOR

Blanco Negro

LED

Potencia:
- 2700K / 4000K / 6500K : 39W a 24V
- HCL 1900K - 6500K: 39W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 2638lm
- 4000K: 3755lm
- 6500K: 2914lm
- HCL: 2880lm

Vida útil: 60.000hs

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

GARANTÍA

3 Años
Fabricada en España

CE

Hanging / Colgante



SCALE / ESCALA 1:20

DESCRIPTION

Hari is a circular suspended luminaire that emits light through its external face.

The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt textured finish, Hari is suspended from 4 fine steel cables of the same colour, permitting horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Hari es una luminaria circular de suspensión que emite luz a través de su cara externa.

El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado texturizado mate. Hari se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

COLOR

Blanco Negro

LED

Power:
- 2700K / 4000K / 6500K: 59W a 24V
- HCL 1900K - 6500K: 59W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 3998lm
- 4000K: 4175lm
- 6500K: 4410lm
- HCL: 4320lm

Lifespan: 60000hrs

LED

Potencia:
- 2700K / 4000K / 6500K : 59W a 24V
- HCL 1900K - 6500K: 59W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 3998lm
- 4000K: 4175lm
- 6500K: 4410lm
- HCL: 4320lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

WARRANTY

3 Years
Made in Spain

GARANTÍA

3 Años
Fabricada en España

CE

Hanging / Colgante



SCALE / ESCALA 1:25

DESCRIPTION

Hari is a circular suspended luminaire that emits light through its external face.

The profile has a rectangular section of 2.5cm x 4cm.

Available in both black and white with a matt textured finish, Hari is suspended from 4 fine steel cables of the same colour, permitting horizontal or inclined hanging giving us the possibility of flexible spatial configurations.

DESCRIPCIÓN

Hari es una luminaria circular de suspensión que emite luz a través de su cara externa.

El perfil tiene una sección rectangular de 2,5cm x 4cm.

Disponible en blanco y negro con acabado texturizado mate. Hari se suspende de 4 finos cables de acero del mismo color y permite el colgado horizontal o inclinado permitiendo configuraciones espaciales flexibles

COLOUR

White Black

COLOR

Blanco Negro

LED

Power:
- 2700K / 4000K / 6500K: 79W a 24V
- HCL 1900K - 6500K: 79W a 24V

CRI: >80
Colour: 2700K / 4000K / 6500K / HLC 1900K - 6500K
Lum. Flux:
- 2700K: 5358lm
- 4000K: 5595lm
- 6500K: 5906lm
- HCL: 5760lm

Lifespan: 60000hrs

LED

Potencia:
- 2700K / 4000K / 6500K : 79W a 24V
- HCL 1900K - 6500K: 79W a 24V

CRI: >80
Color: 2700K / 4000K / 6500K / HCL 1900K - 6500K
Flujo luminoso:
- 2700K: 5358lm
- 4000K: 5595lm
- 6500K: 5906lm
- HCL: 5760lm

Vida útil: 60.000hs

DIMMING

Options for controlling 1 or 2 channels independently:
- On/Off

REGULACIÓN

Opciones para controlar 1 o 2 canales de forma independientes:
- On/Off

WARRANTY

3 Years
Made in Spain

GARANTÍA

3 Años
Fabricada en España

CE